


R1: Changed Elevation to 10'-0", Corrected Slide Name. R2: Raised Slide Over Coping and Elevation 10" to 10'-10". Adjusted Pool Feature Layout

*Elevations Based On A Pool Deck @ 0'-0"

POOL RECOMMENDATIONS

Recommended Minimum Pool Area Reserved For Slide Operation Is 10' x 20' With Minimum Water Depth Of 42"



FOR REVIEW AND APPROVAL ONLY
NOT FOR CONSTRUCTION

BASE SPECIFICATIONS

Ride Length 52.40'
Centerline Length 47.61'
Starting Elevation 10'-10"
Slope 22.10%
Flume Width 32.00"
Centerline Radius 6'-0"
Designed Water Flow 200 GPM



- APPROVED AS DRAWN
- APPROVED WITH CHANGES
- MAKE CHANGES & RESUBMIT

SIGNATURE _____

DATE _____

CONFIDENTIAL – PROPERTY OF Paradise Slides, Inc.

Paradise Slides, Inc

PS52L-C

295 Singing Tree Ln. – Cleveland GA. 30528

DWG SCALE 1/8" = 1'-0"

DRAWN BY TCP

DWG. DATE March 04, 2020

Phone (706)865-4849 Fax (855)827-7448

REVISION 2

REVISION DATE March 10, 2020

DWG. NO. Layout 4